Notice of Allowability	Application No.	Applicant(s)
	10/707,156	COTE, CAMERON A.
	Examiner	Art Unit
	Navneet Sonia Khaira	3754
The MAILING DATE of this communication appeall claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIOF the Office or upon petition by the applicant. See 37 CFR 1.313	(OR REMAINS) CLOSED in this ap or other appropriate communication GHTS. This application is subject t	oplication. If not included n will be mailed in due course. THIS
1. This communication is responsive to <u>December 06, 2005.</u>		
2. X The allowed claim(s) is/are 1-4,6,9-12,14 and 40-42.		
<ul> <li>3.  Acknowledgment is made of a claim for foreign priority unall a)  All b)  Some* c)  None of the:</li> <li>1.  Certified copies of the priority documents have</li> </ul>	been received.	
2. Certified copies of the priority documents have	• • • • • • • • • • • • • • • • • • • •	
3. Copies of the certified copies of the priority documents have been received in this national stage application from the		
* Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.  THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.  4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.  5. CORRECTED DRAWINGS ( as "replacement sheets") must be submitted.  (a) including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached  1) hereto or 2) to Paper No./Mail Date  (b) including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date  (b) Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).  6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
<ul> <li>Attachment(s)</li> <li>1.  Notice of References Cited (PTO-892)</li> <li>2.  Notice of Draftperson's Patent Drawing Review (PTO-948)</li> <li>3.  Information Disclosure Statements (PTO-1449 or PTO/SB/0 Paper No./Mail Date</li></ul>	6. Interview Summary Paper No./Mail Da 8), 7. Examiner's Amendo	atè

Art Unit: 3754

### **DETAILED ACTION**

### **EXAMINER'S AMENDMENT**

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone conversation with Roseann Caldwell on December 12, 2005.

### Claim Amendment

2. The application has been amended as follows:

Claims 33-39 have been deleted.

#### Reasons for allowance

3. The following is an examiner's statement of reasons for allowance:

## With respect to claim 1:

The limitation found in claim 1 of a bottle cap assembly including an air supply passage extending between the cover surface and the outer surface of the housing in

Art Unit: 3754

4

which the opening is sized to fit a feed tube spike to move the plunger into the open position in combination with the other claimed limitations were not found or taught by the prior art.

## With respect to claim 9:

The limitation found in claim 9 of a bottle cap assembly including a port opening through the housing into the bore and an air supply passage extending between the cover surface and the outer surface of the housing and passing though the bore in combination with the other claimed limitations were not found or taught by the prior art.

## With respect to claims 40:

The limitation found in claim 40 of a bottle cap assembly including an air flow passage extending between an inside opening on cover surface; a bore in the cap body and opening at a port on the cover surface and wherein the liquid flow passage is in the bore in combination with the other claimed limitations were not found or taught by the prior art.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Art Unit: 3754

# Conclusion

4. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Navneet Sonia Khaira whose telephone number is 571-272-7142. The examiner can normally be reached on 8:30am-5:00pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Mar Y. Michael can be reached on 571-272-4906. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

NK

Navneet Sonia Khaira Examiner Art Unit 3754

MICHAEL MAR SUPERVISORY PATENT EXAMINER TECHNOLOGY CENTER 3700